## Approved For Release, 2006/12/04 : CIA-RDP70-00211R000500040019-1

XSECREX (When Filled In)				
SPEED LETTER	REPLY REQUESTED			27 October 1966
	X	YES	NO	LETTER NO.
TO Records Officer  ATTN: 1A-53, Headquarters	FROM: Chief, Records Administration Branch, Support Services Staff, DDS			
1. As you know, a shortage of file equipmen attempting to release as many safes as possi President has also extended his moratorium of this makes it even more essential that we be	ble : n the	or pu	reassi rchase	gnment and reissue. The of file equipment, and
2. If any Offices within your component are reports, supplies, forms, periodicals, and c in supply cabinets which occupy valuable off type of equipment which may be mounted on the	ther ice	mat spac	erials e, you	in active file equipment, or may be interested in a new
3. The attached brochure from the General F type of over-file storage cabinets. And whi of this equipment, this brochure was one imm to you as a matter of general information. display in Room 702, Magazine Building, which	le t edia Also	his tely • we	compan avail have	y is not the only supplier able; so, we are sending it a piece of this equipment on
4. I would appreciate your comments as to t storage cabinet idea. If you are interested type equipment, let us know. If you are int contact us for assistance.	in	obta	ining	more information about this
Att: Equipment Brochure				DATE
REPLY				DATE 1 Dec 66
Dis. FXcuse delay - I thought I had sent the book forger. The seems to ME to be a very				
attractive way of Using the Lunous Phase				
fil CABINETS. MINE ON Clossife Material.  and one used only for clossife Material.  I should think money office her slad to  swap their Metal Supply CABINETS for This  equipment. I'll like to see your display or  25				
I should think M	Sun	# } 10. S	HIV	ABINETT for This
ogugunt. I'l like to	ر) اع 1	ee	Tya	ru display or
My MIT VIST = 735				25